



NANDANA GLOBAL EXIM

Connecting Markets, Delivering Growth

Specification sheet - Rice

Steam Rice

Steam-treated milled rice - firmer cooked grain and lower breakage, popular in food service.

Steam rice is treated with steam before milling, which hardens the grain, reduces breakage and gives a firm, separate cooked texture that holds up in commercial kitchens.

Supplied in Sona Masoori and other South Indian varieties depending on the market you are serving.

Product highlights

- Firm, separate cooked grain
- Lower breakage in transit and cooking
- Preferred by HORECA and catering buyers
- Bulk and retail packing

Technical specification

Variety	Steam-treated milled rice
Grade	Steam, sortex clean
Average grain length	5.0 - 5.2 mm (Sona Masoori base) Measured on milled grain, average of a drawn sample
Broken grains	5% max Other broken percentages on request
Moisture	14% max
Admixture	5% max

Chalky grains	2% max
Damaged / discoloured	1% max
Foreign matter	0.1% max
Milling / polish	Double polished, silky finish
Sortex cleaning	100% sortex (optical) cleaned
Base variety	Sona Masoori, or as agreed per contract

Commercial terms

Packing	5 kg, 10 kg, 25 kg, 50 kg - PP / BOPP Private label and OEM packing available
Minimum order quantity	1 x 20' FCL (approx. 25-26 MT) Mixed containers considered for combined rice and pulse orders
Shelf life	12 months from date of packing Stored cool and dry, in unopened original packing
Crop year	Current crop The exact crop year and lot number are stated on your contract and packing list
Origin	South India - Telangana / Andhra Pradesh growing belt
HS code	1006.30 Indicative classification - confirm with your customs broker
Incoterms	FOB, CFR or CIF Incoterms(R) 2020. Ports of loading: Chennai, Krishnapatnam or Mundra
Payment terms	Irrevocable L/C at sight, or TT advance Agreed per contract

Indicative export specification. Final values are agreed against your buying specification and confirmed in writing with the quotation - that confirmed sheet, not this page, is what the consignment is inspected against at loading.

Contact

Company	Nandana Global Exim (Proprietorship)
Address	1406/3A SMRVFH, Miyapur, Hyderabad - 500049, Telangana, India
Sales	+91 98495 22177
Support	+91 77993 22177
Email	info@nandanaglobalexim.com / care@nandanaglobalexim.com

Website

www.nandanaglobalexim.com

GSTIN

36AIWPP6312N3ZE